

(screening)

[ ]

(general population)

[Empty rectangular box]


n= )

( n= ) (

(MHI)

:

\*



(mental health)

[ ]

(anxiety)

(depression)

(psychometric)

[ ]

[ ]

(internal consistency)

(factor structure)

(test-retest reliability)

[ ]

(concurrent validity)

(psychological

(convergent validity)

distress)

[ ]

(predictive validity)

[ ]

(discriminant validity)

(psychological well-

[ ]

being)

[ ]

(mental health inventory)

:[ ]

(mood disorders)

(anxiety disorders)

(consecutive)



(back translation) (clinical interview) ( n= )  
[ ] DSM-IV

(beck depression [ ] inventory)  
[ ] anxiety inventory

( )  
( )  
( )

[ ] ( n= )  
• (n= ) (n= )

[ ] (general health questionnaire) [ ]

/ ( = sd= / )  
( = sd= / ) /

( )

[ ]

( )  
[ ] ( )

U

/ /  
/ /

(Z=- / p= / )

p= / ) (Z=- / p= / )  
( ) (Z=- /

(n= )

(r= / p< / )

p< / ) ( ) (r= / p< / ) r= / r= / p< /

(n= )

« »

« »

r= / r= /

p< /

(t= / p< / )  
(t= / p< / )  
( )

[ ]

U

P	Z				
/	/	/	/		
		/	/		
/	/	/	/		
		/	/		
/	/	/	/		
		/	/		

[ ]

		/ *	
	/ *	/ *	

\* p< 0.001

« »

P	T	DF			
/	/		/	/	
			/	/	
/	/		/	/	
			/	/	

[ ]

[ ]

)

(

[ ]

5. Macmilan, A. M. (1957) The health opinion survey: technique for estimating prevalence of psychoneurotic and related types of disorder in communities. *Psychological Reports*, 3, 325-339.
6. Bradburn, N. M. (1969) The structure of psychological-well-being. Chicago: Aldine.
7. Dupuy, H. J. (1972) The psychological section of the current health and nutrition examination survey. *Proceedings of the Public Health Conference on Records and Statistics Meeting Jointly with the National Conference on Health Statistics*. Washington DC: National Conference on Health Statistics.
8. Cleary, P. D., Goldberg, I. D., & Kessler, L. G. (1982) Screening for mental disorder among primary care patients. *Archives of General Psychiatry*, 39, 837-840.
9. Ware, J. E., Johnston, S. A., Davise-Avery, A., & Brook, R. H. (1979) Conceptualization and measurement of health for adults in the Health Insurance Study, Vol.3. Washington, DC: U.S. Government Printing Office.
10. Ware, J. E., Davise-Avery, A., & Brook, R. H. (1980) Conceptualization and measurement of health for adults in the Health Insurance Study, Vol.6. Washington, DC: U.S. Government Printing Office.
11. Veit, C. T., & Ware, J. E. (1983) The structure of psychological distress and well-being in general population. *Journal of Consulting and Clinical Psychology*, 51, 730-742.
12. Manne, S., & Schnoll, R. (2001) Measuring cancer patients' psychological distress and well-being: a factor analytic assessment of the Mental Health Inventory. *Psychological Assessment*, 13, 99-109.
13. Ware, J., Manning, W., Duan, W., Wells, K., & Newhouse, J. (1984) Health status and use of outpatient mental health services. *American Psychologist*, 39, 1090-1100.
14. Cassileth, B, Lusk, E., Strouse, T., Miller, D., Brown, L., Cross, P., & Tenaglia, A. (1984) Psychological status in chronic illness. *New England Journal of Medicine*, 311, 506-511.
15. American Psychiatric Association (1994) *Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition*. Washington, DC: Author.
16. Beck, A. T., Rush, A. J., Shaw, B. F., & Emery, G. (1979) *Cognitive therapy of depression: a treatment manual*. New York: Guilford.
17. Beck, A. T., Steer, R. A., & Garbin, M. G. (1988) Psychometric properties of the Beck Depression Inventory: twenty-five years of evaluation. *Clinical Psychology Review*, 8, 77-100.
18. Beck, A. T., Epstein, N., Brown, G., & Steer, R. A. (1988) An inventory for measuring clinical anxiety: psychometric properties. *Journal of Consulting and Clinical Psychology*, 56, 893-897.
19. Beck, A. T., & Steer, R. A. (1993) *Beck Depression Inventory Manual*. The Psychological Corporation. Harcourt Brace & Company. San Antonio.
20. Goldberg, D. P. (1972) The detection of psychiatric illness by questionnaire. *Maudsley Monograph*, 21, Oxford: Oxford University Press.
21. Goldberg, D. P., Gater, R., Sartorius, N., Ustun, T. B., & et al. (1997) The validity of two version of the GHQ in the WHO study of mental illness in general health care. *Psychological Medicine*, 27, 191-197.
22. Goldberg, D. P., & Williams, P. (1988) *A users' guide to the Genral Health Questionnaire*. UK: NFER, Nelson.
23. Cronbach, L. J. (1970) *Essentials of psychological testing*. New York: Harper and Row International.
1. Ormel, J., Koeter, M. W., van den Brink, W., & van den Willing, G. (1991) Recognition, management, and course of anxiety and depression in general practice. *Archive of General Psychiatry*, 48, 700-706.
2. Borus, J. F., Howes, M. J., Devins, N. P., Rosenberg, R., & Livingston, W. W. (1988) Primary health care providers' recognition and diagnosis of mental disorders in their patients. *General Hospital Psychiatry*, 10, 317-321.
3. Gurin, G., Veroff, J., & Feld, S. (1960) *Americans view their mental health-A nationwide interview survey*. New York: Basic Books.
4. Langer, T. S. (1962) A twenty-two item screening score of psychiatric symptoms indicating impairment. *Journal of Health and Human Behavior*, 3, 269-276.